

ESSENCE SERIES

HEADERLESS ROLLING SHOWER DOOR SYSTEM

- Headerless System Offers Popular Frameless Look
- Bottom Rolling System Has Integrated Height Adjustment
- Rollers Include Anti-Derail/Anti-Pinch Guard
- Choice of Rounded or Square Style Roller System
- For Use Only With 1/2" (12 mm) Thick Tempered Glass (Not Included)



Our **NEW** Essence Series allows a headerless appearance by utilizing a bottom rolling system that includes an anti-derail/anti-pinch guard feature. The bottom rollers also have an integrated height adjustment for door to vertical jamb alignment. By being completely header-free, a frameless vertical and horizontal appearance is achieved. Smooth and quiet operation of the door is the cornerstone of this bottom rolling unit. At the same time, excellent water management is accomplished at the sill via the bottom track, and vertically with the use of a clear L-shape jamb having a soft seal/bumper.

With your separate addition of a free standing shower head and valves, new configurations are possible, such as beautiful island designs, U-shaped designs, and L-shaped designs with unconventionally placed plumbing walls.

The Essence Series Frameless Sliding Shower Door System is for use only with 1/2" (12 mm) thick tempered safety glass (not included). It is stocked in four popular finishes, with a choice of rounded or square corner rollers.



Square Roller Style



Rounded Roller Style

ESSENCE SERIES

ROLLING SHOWER DOOR SYSTEM (WITH HEADER)

- Header System Allows for Use of 3/8" or 1/2" (10 or 12 mm) Thick Tempered Glass (Not Included)
- Header is Supported by Fixed Panel Glass With Attractive Thru-Glass Fittings
- Bottom Rolling System Has Integrated Height Adjustment
- Rollers Include Anti-Derail/Anti-Pinch Guard
- Choice of Rounded or Square Cornered Roller System

Our **NEW** Essence Series Sliding Door System With Header adds to CRL's growing line of modern systems. The Header is supported by the fixed panel glass with the use of attractive thru-glass fittings. The bottom rolling system has an integrated height adjustment for door to vertical jamb alignment. The Bottom Rollers also include an anti-derail/anti-pinch guard feature. Smooth and quiet door operation is the cornerstone of the Essence Series. At the same time, water management is accomplished at the sill via the bottom track, and vertically with the use of a clear L-shape jamb that has a soft seal/bumper.

1/2" (12 mm)



Chrome Brushed Nickel Brass Oil Rubbed Bronze



SERENITY SERIES

SLIDING SHOWER DOOR SYSTEMS

NEW!



glass
magazine
award
winner

- Unique 180 Degree System With Rollers Above the Header Bar
- System Features One Sliding Door and One Fixed Panel
- Use of Minimal Hardware Gives Door an Almost Floating Appearance
- For 5/16" or 3/8" (8 or 10 mm) Thick Tempered Glass (Not Included)
- Specially Designed Roller Bearings Allow Easy Opening and Closing of Door
- Accessory Kit Available for 90 Degree Return Panels
- Choice of Durable Polished or Brushed Stainless Steel Finishes

Our **NEW** Serenity Series Sliding Door System has an entirely different look from traditional sliding shower door systems. The use of minimal hardware provides a frameless look that gives the enclosure an almost floating appearance. Specially designed roller bearings allow for quiet, easy opening and closing of the door. This unique roller system operates above the header bar that spans the top of the enclosure.



One sliding and one fixed panel make the 180 Degree Standard Kit beautiful and practical. The Kit includes all items pictured at bottom right of the page, with the exception of the 90 Degree Accessory Kit, which is purchased separately (see bottom left of page). The durable polished or brushed stainless steel units will work with 5/16" or 3/8" (8 or 10 mm) thick tempered glass (not included).

SPECIFICATIONS:

Glass Thickness Range: 5/16" or 3/8" (8 or 10 mm) Tempered Safety Glass (Not Included)

Material: Stainless Steel

Maximum Door Size: Do Not Exceed Either 30" (762 mm) Wide or 88 Pounds (40 kg)



SERENITY SERIES

DOUBLE DOOR SYSTEM

- Create an Attractive 90 Degree Double Door Corner System More Easily Than Ever Before
- Simply Purchase Two Serenity 180 Degree Kits and One 90 Degree Double Door Connector Bracket
- V-Corner Design Ideal for Smaller Bathrooms
- Choice of Polished or Brushed Stainless Steel Finishes

Creating a unique and attractive V-Corner shower enclosure is now easier than ever. Simply purchase two 180 Degree Serenity Series Sliding Systems (see opposite page), along with one 90 Degree Double Door Connector Bracket (see below). Combining these parts allows you to build a beautiful double door sliding enclosure even for smaller bathroom areas. A choice of beautiful and durable polished or brushed stainless steel finishes help to match most any modern bathroom décor.


The 90 Degree Double Door Bracket Connector simply connects the two sliding doors in a V-corner. No glass fabrication is required for the Bracket Connector itself. Choice of finishes to match the Serenity Sliding System.

NEW!

AVAILABLE IN TWO STOCK FINISHES



Polished and Brushed Stainless Steel




Note: Each Sliding Door Cannot Exceed 17" (432 mm) in width or 51 Pounds (23 kg)




HYDROSLIDE

180° and 90° SLIDING SHOWER DOOR SYSTEMS



Chrome Brass Brushed Nickel Oil Rubbed Bronze

AVAILABLE IN FOUR FINISHES



- Excellent Design for Compact Areas
- Clean, Sleek Lines
- Accommodates a Wide Range of Shower Designs
- Quick and Easy Installation



180 Degree Wall-to-Wall Installation
Uses our 180 Degree Standard Kit

Hydroslide Sliding Shower Door Kits were designed for full standing showers or above bathtubs. The Hydroslide System can accommodate a wide range of shower designs with fixed glass panels on either end, or both sides at 90 or 180 degrees. The Hydroslide System also accommodates the option of floor-to-near-ceiling glass panels with a sliding door. Hydroslide Sliding Shower Door Kits feature the latest European 'all-glass' look. Kits are available in either 60" (1.52 m) or 84" (2.13 m) widths. Installers can cut the width to size, and height is optional as long as the sliding door glass weighs less than 88 pounds (40 kg).

The 180 Degree Wall-to-Wall Installation only requires the 180 Degree Standard Kit for the installation. The 90 Degree Wall-to-Glass Installation requires the 180 Degree Standard Kit, plus the 90 Degree Wall-to-Glass Accessory Kit. Individual or replacement parts can also be ordered from the next page. Hydroslide Kits come in four finishes: Chrome Fittings with a Brite Anodized Sliding Track, Polished Brass with a Brite Gold Anodized Sliding Track, Brushed Nickel with Brushed Nickel Anodized Sliding Track, and Oil Rubbed Bronze with Oil Rubbed Bronze Anodized Sliding Track. Each Kit comes with complete fabrication and installation instructions.

NOTE: Bottom Fixed Glass Attachments, Handles or Knobs must be ordered separately.

SPECIFICATIONS:

Glass Thickness Range: 5/16" (8 mm) to 3/8" (10 mm) Tempered Safety Glass (Not Included)

Material: Plated or Lacquered Solid Brass Fittings; Anodized Aluminum Sliding Door Track

Maximum Door Size: 88 lbs (40 kg)

NOTE: Ask our Shower Door Technical Sales Department about a special Installation using two Hydroslide Kits, along with our HYDH90 90 Degree Bracket to allow two doors to meet at a 90 Degree Corner.




COTTAGE CK SERIES WITH CLEAR SIDE JAMBS

- Utilizes Clear Polycarbonate Side Jambs Instead of Traditional Metal Jambs
- Bolt-Through Top Hangers Provide for Immediate Fabrication and Installation
- Designed for Use With 3/8" (10 mm) or 1/4" (6 mm) Tempered Glass (Not Included)
- Brite Anodized, Brite Gold Anodized, Brushed Nickel, and Oil Rubbed Bronze in Up to Six Stock Sizes
- Custom Units Also Available

Cottage CK Series Bypass Sliders are unique in that they utilize clear polycarbonate side jambs instead of traditional metal side jambs, thus providing more of the popular 'all-glass' look. Bolt-Through Top Hangers allow immediate fabrication and installation, with no waiting for messy adhesive to dry. Cottage Series Kits come in Brite Anodized, Brite Gold Anodized, Brushed Nickel, and Oil Rubbed Bronze finishes, with other finishes available on special order.

Tempered glass and silicone sealant are supplied by the installer to complete the installation. Since all rollers are overhead, the Bottom Sill and Clear Side Jambs are uncluttered, making cleaning easy. Custom units are available.



Custom 90 Degree Unit Shown

SPECIFICATIONS:

For Glass Thickness: 1/4" (6 mm) or 3/8" (10 mm) (Glass not included in Kit)

AVAILABLE IN FOUR STOCK FINISHES



Brite Anodized





Brite Gold Anodized



Brushed Nickel



Oil Rubbed Bronze



DESIGNED BY C.R. LAURENCE

The Clear Jamb System Changes How You View Frameless Shower Sliding Door Kits Because the Vertical Metal is Eliminated!



24" (610 mm) Towel Bar





SERENITY SERIES



SERENITY SERIES



COTTAGE SERIES



HYDROSLIDE SERIES



SERENITY SERIES



HYDROSLIDE SERIES



HYDROSLIDE SERIES

